

1 / 19






Fig. 1

2/19



NIHONBUNDO KABUSHIKI KAISHA JASCO Corporation
MADE IN JAPAN
J-0005

Fig. 2

BEST AVAILABLE COPY

10/522336

3/19






Fig. 3

4/19

(a) GRAPH 1



GRAPH 2




p.5/p.11


F i g . 4

5/19


(b) GRAPH 3



GRAPH 4




6/19




F i g . 5

7/19

MFP 0.4% UV-A 365 MM, 100 $\mu\text{W}/\text{CM}^2$, 24 HOURS IRRADIATION

F i g . 6


8/19



F i g . 7


9/19

MFP 0.04% UV-C 254 MM, 100 $\mu\text{W}/\text{CM}^2$, 24 HOURS IRRADIATION




F i g . 8

10/19




F i g . 9

11/19



F i g . 1 0

12/19



NITONBUNKO KABUSHIKI KAISHA JASCO Corporation J-0005
MADE IN JAPAN

Fig. 11
BEST AVAILABLE COPY

13/19





Fig. 12

14/19




F i g . 1 3

15/19


(b)

PROTEINASE K SPECTRUM




10,522,556

16/19




17/19




F i g . 1 5

18/19



19/19



F i g . 1 6

BEST AVAILABLE COPY